

Supplement 5

Permit Examples

CONTENTS

Pasteurized Liquid Egg

Initial Permit for Movement of Pasteurized Liquid Egg to Market from an On-Farm Pasteurization Facility	S5-4
Subsequent Permit for Movement of Pasteurized Liquid Egg to Market from an On-Farm Pasteurization Facility	S5-5
Initial Permit for Movement of Pasteurized Liquid Egg to Market from a Pasteurization Facility within the Control Area	S5-6
Subsequent Permit for Movement of Pasteurized Liquid Egg to Market from a Pasteurization Facility within the Control Area.....	S5-7

Non-Pasteurized Liquid Egg

Initial Permit for Movement of Non-Pasteurized Liquid Egg to Pasteurization	S5-8
Subsequent Permit for Movement of Non-Pasteurized Liquid Egg to Pasteurization	S5-9

Washed and Sanitized Shell Eggs

Initial Permit for Movement of Washed and Sanitized Shell Eggs to Premises without Poultry (other than Directly to Market)	S5-10
Subsequent Permit for Movement of Washed and Sanitized Shell Eggs to Premises without Poultry (other than Directly to Market)	S5-11
Initial Permit for Movement of Washed and Sanitized Shell Eggs to Premises without Poultry (Directly to Market).....	S5-12
Subsequent Permit for Movement of Washed and Sanitized Shell Eggs to Premises without Poultry (Directly to Market)	S5-13
Initial Permit for Movement of Washed and Sanitized Shell Eggs to Premises with Poultry (other than Directly to Market)	S5-14

Subsequent Permit for Movement of Washed and Sanitized Shell Eggs to Premises with Poultry (other than Directly to Market)...	S5-15
Initial Permit for Movement of Washed and Sanitized Shell Eggs to Premises with Poultry (Directly to Market).....	S5-16
Subsequent Permit for Movement of Washed and Sanitized Shell Eggs to Premises with Poultry (Directly to Market)	S5-17
Nest Run Shell Eggs	
Initial Permit for Movement of Nest Run Eggs to Move to Off-Farm Location (without Poultry) for Washing and Sanitizing, Breaking, or Processing	S5-18
Subsequent Permit for Movement of Nest Run Eggs to Move to Off-Farm Location (without Poultry) for Washing and Sanitizing, Breaking, or Processing.....	S5-19
Layer Hatching Eggs	
Permit for Layer Hatching Eggs to Move to Hatchery or Processing Plant	S5-20
Subsequent Permit for Layer Hatching Eggs to Move to Hatchery or Processing Plant	S5-21
Layer Day-Old Chicks	
Permit for Movement of Layer Day-Old Chicks to Move to Pullet Farm ..	S5-22
Subsequent Permit for Movement of Layer Day-Old Chicks to Move to Pullet Farm.....	S5-23
Shells and Inedible Egg Product	
Permit for Movement of Dry Eggshells to Poultry Feed Mill	S5-24
Subsequent Permit for Movement of Dry Eggshells to Poultry Feed Mill	S5-25
Permit for Movement of Inedible Egg Product to Pasteurization	S5-26
Subsequent Permit for Movement of Inedible Egg Product to Pasteurization	S5-27
Permit for Movement of Inedible Egg Product to Landfill	S5-28
Subsequent Permit for Movement of Inedible Egg Product to Landfill	S5-29
Permit for Movement of Wet Eggshells to Landfill	S5-30

Subsequent Permit for Movement of Wet Eggshells to Landfill S5-31

Permit for Movement of Wet Eggshells for Land Application S5-32

Subsequent Permit for Movement of Wet Eggshells for Land
Application..... S5-33

Permit for Movement of Wet Eggshells to Drying S5-34

Subsequent Permit for Movement of Wet Eggshells to Drying..... S5-35

INITIAL PERMIT FOR MOVEMENT OF PASTEURIZED LIQUID EGG TO MARKET FROM AN ON-FARM PASTEURIZATION FACILITY

PERMIT NUMBER: XX.0 DATE OF PERMIT: _____

*xx is premises number, initial permits will be numbered zero and subsequent permits 1, 2, 3, and so on.

Shipment is permitted from _____ (premises name and 911 address)
to _____ (market).

- ❖ The cargo interior and exterior of the transport vehicle must be cleaned and disinfected. The driver should remain inside the cab of the vehicle. If the driver gets out of the vehicle, the cab interior must be cleaned and disinfected, and the driver must wear protective clothing, such as disposable boots and gloves, and remove them before getting back in the cab. The tires and wheel wells must be cleaned and disinfected when leaving premises within the Control Area.

I certify that the flock of origin of the pasteurized liquid egg has met the permit criteria as stated in the Secure Egg Supply Plan.

/

Incident Commander Printed Name and Signature Date (mm/dd/yyyy)

I certify that the production parameters for the flock of origin of the pasteurized liquid egg are within normal range on the date of shipment.

/

Premises Manager Printed Name and Signature Date of shipment (mm/dd/yyyy)

The Incident Command (IC) may issue the initial permit if the premises is compliant with the permit guidance. Subsequent permits for movement of this product may be issued by the premises manager unless a significant change in production parameters occurs, the flock is found to have a positive real-time reverse transcriptase polymerase chain reaction (RRT-PCR) result for highly pathogenic avian influenza (HPAI), or some other significant event occurs such as the onset of obvious clinical signs of HPAI or a determination is made that the flock is a Contact Premises. On an ongoing basis the IC will monitor RRT-PCR results from each flock and will review flock production parameters to confirm the flock continues to be eligible for this permit.

SUBSEQUENT PERMIT FOR MOVEMENT OF PASTEURIZED LIQUID EGG TO MARKET FROM AN ON-FARM PASTEURIZATION FACILITY

PERMIT NUMBER: XX.1 **DATE OF PERMIT:** _____

*xx is premises number, subsequent permits should be renumbered, 2, 3, 4, and so on.

Shipment is permitted from _____ (premises name and 911 address)
to _____ (market).

- ❖ The cargo interior and exterior of the transport vehicle must be cleaned and disinfected. The driver should remain inside the cab of the vehicle. If the driver gets out of the vehicle, the cab interior must be cleaned and disinfected, and the driver must wear protective clothing, such as disposable boots and gloves, and remove them before getting back in the cab. The tires and wheel wells must be cleaned and disinfected when leaving premises within the Control Area.

I certify that the production parameters for the flock of origin of the pasteurized liquid egg are within normal range today.

/

Premises Manager Printed Name and Signature Date of shipment (mm/dd/yyyy)

Emergency Contact Information

Cell phone Land line E-mail

The Incident Command (IC) may issue the initial permit if the premises is compliant with the permit guidance. Subsequent permits for movement of this product may be issued by the premises manager unless a significant change in production parameters occurs, the flock is found to have a positive real-time reverse transcriptase polymerase chain reaction (RRT-PCR) result for highly pathogenic avian influenza (HPAI), or some other significant event occurs such as the onset of obvious clinical signs of HPAI or a determination is made that the flock is a Contact Premises. On an ongoing basis the IC will monitor RRT-PCR results from each flock and will review flock production parameters to confirm the flock continues to be eligible for this permit.

INITIAL PERMIT FOR MOVEMENT OF PASTEURIZED LIQUID EGG TO MARKET FROM A PASTEURIZATION FACILITY WITHIN THE CONTROL AREA

PERMIT NUMBER: XX.0 _____ **DATE OF PERMIT:** _____

*xx is premises number, initial permits will be numbered zero and subsequent permits 1, 2, 3, and so on.

Shipment is permitted from _____ (premises name and 911 address)
to _____ (market).

- ❖ The cargo interior and exterior of the transport vehicle must be cleaned and disinfected. The driver should remain inside the cab of the vehicle. . If the driver gets out of the vehicle, the cab interior must be cleaned and disinfected, and the driver must wear protective clothing, such as disposable boots and gloves, and remove them before getting back in the cab. The tires and wheel wells must be cleaned and disinfected when leaving premises within the Control Area.

I certify that this pasteurized liquid egg facility has met the permit criteria as stated in the Secure Egg Supply Plan.

/

Incident Commander Printed Name and Signature Date (mm/dd/yyyy)

I certify that eggs, from the Control Area, in this shipment of pasteurized liquid egg arrived under permit.

/

Premises Manager Printed Name and Signature Date of shipment (mm/dd/yyyy)

The Incident Command (IC) may issue the initial permit if the premises is compliant with the permit guidance. Subsequent permits for movement of this product may be issued by the premises manager unless notified by IC to stop movement of product from this facility.

SUBSEQUENT PERMIT FOR MOVEMENT OF PASTEURIZED LIQUID EGG TO MARKET FROM A PASTEURIZATION FACILITY WITHIN THE CONTROL AREA

PERMIT NUMBER: XX.1 **DATE OF PERMIT:** _____

*xx is premises number, subsequent permits should be renumbered, 2, 3, 4, and so on.

Shipment is permitted from _____ (premises name and 911 address)

to _____ (market).

- ❖ The cargo interior and exterior of the transport vehicle must be cleaned and disinfected. The driver should remain inside the cab of the vehicle. If the driver gets out of the vehicle, the cab interior must be cleaned and disinfected and the driver must wear protective clothing, such as disposable boots and gloves, and remove them before getting back in the cab. The tires and wheel wells must be cleaned and disinfected when leaving premises within the Control Area.

I certify that eggs, from the Control Area, in this shipment of pasteurized liquid egg arrived under permit.

Premises Manager / Printed Name and Signature Date of shipment (mm/dd/yyyy)

Emergency Contact Information

Cell phone Land line E-mail

The Incident Command (IC) may issue the initial permit if the premises is compliant with the permit guidance. Subsequent permits for movement of this product may be issued by the premises manager unless notified by IC to stop movement of product from this facility.

INITIAL PERMIT FOR MOVEMENT OF NON-PASTEURIZED LIQUID EGG TO PASTEURIZATION

PERMIT NUMBER: XX.0 DATE OF PERMIT: _____

*xx is premises number, initial permits will be numbered zero and subsequent permits 1, 2, 3, and so on.

Shipment is permitted from _____ (premises name & 911 address) to _____ (pasteurization plant).

- ❖ The cargo interior and exterior of the transport vehicle must be cleaned and disinfected. The driver should remain inside the cab of the vehicle. If the driver gets out of the vehicle, the cab interior must be cleaned and disinfected, and the driver must wear protective clothing, such as disposable boots and gloves, and remove them before getting back in the cab. The truck's tires and wheel wells must be cleaned and disinfected when leaving premises within the Control Area.
- ❖ This permit is only valid if accompanied by a negative real-time reverse transcriptase polymerase chain reaction (RRT-PCR) test for highly pathogenic avian influenza (HPAI) conducted on a pooled sample of oropharyngeal swabs from 5 dead birds or 11 dead birds out of every 50 dead birds from each house on the premises. (The test must be conducted by a National Animal Health Laboratory Network laboratory.)

Date of current negative RRT-PCR test for HPAI: _____ (This permit allows movement of product from the premises of origin until the next day's RRT-PCR test results are available.)

This permit is valid ONLY if a copy of the current negative RRT-PCR test results for this flock is attached.

I certify that the flock of origin of the non-pasteurized liquid egg has met the permit criteria as stated in the Secure Egg Supply Plan.

Incident Commander Printed Name and Signature Date (mm/dd/yyyy)

I certify that the production parameters for the flock of origin of the non-pasteurized liquid egg are within normal range on the date of shipment.

Premises Manager Printed Name and Signature Date of shipment (mm/dd/yyyy)

The Incident Command (IC) may issue the initial permit as soon as negative RRT-PCR test results have been received if the premises is compliant with the permit guidance. Subsequent permits for movement of this product may be issued by the premises manager unless a significant change in production parameters occurs, the flock is found to have a positive RRT-PCR result for HPAI, or some other significant event occurs such as the onset of obvious clinical signs of HPAI or a determination is made that the flock is a Contact Premises. On an ongoing basis, the IC will monitor RRT-PCR results from each flock and will review flock production parameters to confirm the flock continues to be eligible for this permit.

SUBSEQUENT PERMIT FOR MOVEMENT OF NON-PASTEURIZED LIQUID EGG TO PASTEURIZATION

PERMIT NUMBER: XX.1 _____ **DATE OF PERMIT:** _____

*xx is premises number, subsequent permits should be numbered 2, 3, 4, and so on.

Shipment is permitted from _____ (premises name & 911 address)

to _____ (pasteurization plant).

- ❖ The cargo interior and exterior of the transport vehicle must be cleaned and disinfected. The driver should remain inside the cab of the vehicle. If the driver gets out of the vehicle, the cab interior must be cleaned and disinfected, and the driver must wear protective clothing, such as disposable boots and gloves, and remove them before getting back in the cab. The truck's tires and wheel wells must be cleaned and disinfected when leaving premises within the Control Area.
- ❖ This permit is only valid if accompanied by a negative real-time reverse transcriptase polymerase chain reaction (RRT-PCR) test for highly pathogenic avian influenza (HPAI) conducted on a pooled sample of oropharyngeal swabs from 5 dead birds or 11 dead birds out of every 50 dead birds from each house on the premises. (The test must be conducted by a National Animal Health Laboratory Network laboratory.)

Date of current negative RRT-PCR test for HPAI: _____ (This permit allows movement of product from the premises of origin until the next day's RRT-PCR test results are available.)

This permit is valid ONLY if a copy of the current negative RRT-PCR test results for this flock is attached.

I certify that the production parameters for the flock of origin of the non-pasteurized liquid egg are within normal range today.

/

Premises Manager	Printed Name and Signature	Date of shipment (mm/dd/yyyy)
------------------	----------------------------	-------------------------------

Emergency Contact Information

Cell phone	Land line	E-mail
------------	-----------	--------

The Incident Command (IC) may issue the initial permit as soon as negative RRT-PCR test results have been received if the premises is compliant with the permit guidance. Subsequent permits for movement of this product may be issued by the premises manager unless a significant change in production parameters occurs, the flock is found to have a positive RRT-PCR result for HPAI, or some other significant event occurs such as the onset of obvious clinical signs of HPAI or a determination is made that the flock is a Contact Premises. On an ongoing basis, the IC will monitor RRT-PCR results from each flock and will review flock production parameters to confirm the flock continues to be eligible for this permit.

INITIAL PERMIT FOR MOVEMENT OF WASHED AND SANITIZED SHELL EGGS TO PREMISES WITHOUT POULTRY (OTHER THAN DIRECTLY TO MARKET)

PERMIT NUMBER: XX.1 **DATE OF PERMIT:** _____

*xx is premises number, initial permits will be numbered zero and subsequent permits 1, 2, 3, and so on.

Shipment is permitted from _____ (premises name & 911 address)
to _____ (premises without poultry).

- ❖ The cargo interior and exterior of the transport vehicle must be cleaned and disinfected. The driver should remain inside the cab of the vehicle. If the driver gets out of the vehicle, the cab interior must be cleaned and disinfected, and the driver must wear protective clothing, such as disposable boots and gloves, and remove them before getting back in the cab. The tires and wheel wells must be cleaned and disinfected when leaving premises within the Control Area.
- ❖ Transport vehicle must be sealed by premises or company personnel under authorization of Incident Command (IC).
SEAL #: _____
- ❖ This permit is only valid if accompanied by a negative real-time reverse transcriptase polymerase chain reaction (RRT-PCR) test for highly pathogenic avian influenza (HPAI) conducted on a pooled sample of oropharyngeal swabs from 5 dead birds or 11 dead birds out of every 50 dead birds from each house on the premises of origin. (The test must be conducted by a National Animal Health Laboratory Network laboratory.)

Date of current negative RRT-PCR test for HPAI: _____ (This permit allows movement of eggs from the premises of origin until the next day's RRT-PCR test results are available.)

This permit is valid ONLY if a copy of the current negative RRT-PCR test results for this flock is attached.

I certify that the flock of origin of the washed and sanitized shell eggs has met the permit criteria as stated in the Secure Egg Supply Plan.

/

Incident Commander	Printed Name and Signature	Date (mm/dd/yyyy)
--------------------	----------------------------	-------------------

I certify that the production parameters for the flock of origin of the washed and sanitized shell eggs are within normal range today.

/

Premises Manager	Printed Name and Signature	Date of shipment (mm/dd/yyyy)
------------------	----------------------------	-------------------------------

The IC may issue the initial permit as soon as negative RRT-PCR test results have been received if the premises is compliant with the permit guidance. Subsequent permits for movement of this product may be issued by the premises manager unless a significant change in production parameters occurs, the flock is found to have a positive RRT-PCR result for HPAI, or some other significant event occurs such as the onset of obvious clinical signs of HPAI or a determination is made that the flock is a Contact Premises. On an ongoing basis, the IC will monitor RRT-PCR results from each flock and will review flock production parameters to confirm the flock continues to be eligible for this permit.

SUBSEQUENT PERMIT FOR MOVEMENT OF WASHED AND SANITIZED SHELL EGGS TO PREMISES WITHOUT POULTRY (OTHER THAN DIRECTLY TO MARKET)

PERMIT NUMBER: XX.1 **DATE OF PERMIT:** _____

*xx is premises number, subsequent permits should be renumbered, 2, 3, 4, and so on.

Shipment is permitted from _____ (premises name & 911 address)
to _____ (premises without poultry).

- ❖ The cargo interior and exterior of the transport vehicle must be cleaned and disinfected. The driver should remain inside the cab of the vehicle. If the driver gets out of the vehicle, the cab interior must be cleaned and disinfected, and the driver must wear protective clothing, such as disposable boots and gloves, and remove them before getting back in the cab. The tires and wheel wells must be cleaned and disinfected when leaving premises within the Control Area.
- ❖ Transport vehicle must be sealed by premises or company personnel under authorization of Incident Command (IC).
SEAL #: _____
- ❖ This permit is only valid if accompanied by a negative real-time reverse transcriptase polymerase chain reaction (RRT-PCR) test for highly pathogenic avian influenza (HPAI) conducted on a pooled sample of oropharyngeal swabs from 5 dead birds or 11 dead birds out of every 50 dead birds from each house on the premises of origin. (The test must be conducted by a National Animal Health Laboratory Network laboratory.)

Date of current negative RRT-PCR test for HPAI: _____ (This permit allows movement of eggs from the premises of origin until the next day's RRT-PCR test results are available.)

This permit is valid ONLY if a copy of the current negative RRT-PCR test results for this flock is attached.

I certify that the production parameters for the flock of origin of the washed and sanitized shell eggs are within normal range today.

/

Premises Manager Printed Name and Signature Date of shipment (mm/dd/yyyy)

Emergency Contact Information

Cell phone Land line E-mail

The IC may issue the initial permit as soon as negative RRT-PCR test results have been received if the premises is compliant with the permit guidance. Subsequent permits for movement of this product may be issued by the premises manager unless a significant change in production parameters occurs, the flock is found to have a positive RRT-PCR result for HPAI, or some other significant event occurs such as the onset of obvious clinical signs of HPAI or a determination is made that the flock is a Contact Premises. On an ongoing basis, the IC will monitor RRT-PCR results from each flock and will review flock production parameters to confirm the flock continues to be eligible for this permit.

INITIAL PERMIT FOR MOVEMENT OF WASHED AND SANITIZED SHELL EGGS TO PREMISES WITHOUT POULTRY (DIRECTLY TO MARKET)

PERMIT NUMBER: XX.0 _____ **DATE OF PERMIT:** _____

*xx is premises number, initial permits will be numbered zero and subsequent permits 1, 2, 3, and so on.

Shipment is permitted from _____ (premises name & 911 address)
to _____ (premises without poultry).

- ❖ The cargo interior and exterior of the transport vehicle must be cleaned and disinfected. The driver should remain inside the cab of the vehicle. If the driver gets out of the vehicle, the cab interior must be cleaned and disinfected, and the driver must wear protective clothing, such as disposable boots and gloves, and remove them before getting back in the cab. The tires and wheel wells must be cleaned and disinfected when leaving premises within the Control Area.
- ❖ Transport vehicle must be sealed by premises or company personnel under authorization of Incident Command (IC).
SEAL #: _____
- ❖ This permit is only valid if accompanied by a negative real-time reverse transcriptase polymerase chain reaction (RRT-PCR) test for highly pathogenic avian influenza (HPAI) conducted on a pooled sample of oropharyngeal swabs from 5 dead birds or 11 dead birds out of every 50 dead birds from each house on the premises of origin. (The test must be conducted by a National Animal Health Laboratory Network laboratory.)
- ❖ Only eggs stored for 2 days from the date of production are eligible to move to market.

Date of current negative RRT-PCR test for HPAI: _____ (This permit allows movement of eggs from the premises of origin until the next day's RRT-PCR test results are available.)

This permit is valid ONLY if a copy of the current negative RRT-PCR test results for this flock is attached.

I certify that the flock of origin of the washed and sanitized shell eggs has met the permit criteria as stated in the Secure Egg Supply Plan.

/

Incident Commander	Printed Name and Signature	Date (mm/dd/yyyy)
--------------------	----------------------------	-------------------

I certify that the production parameters for the flock of origin of the washed and sanitized shell eggs are within normal range today.

/

Premises Manager	Printed Name and Signature	Date of shipment (mm/dd/yyyy)
------------------	----------------------------	-------------------------------

The IC may issue the initial permit as soon as negative RRT-PCR test results have been received if the premises is compliant with the permit guidance. Subsequent permits for movement of this product may be issued by the premises manager unless a significant change in production parameters occurs, the flock is found to have a positive RRT-PCR result for HPAI, or some other significant event occurs such as the onset of obvious clinical signs of HPAI or a determination is made that the flock is a Contact Premises. On an ongoing basis, the IC will monitor RRT-PCR results from each flock and will review flock production parameters to confirm the flock continues to be eligible for this permit.

SUBSEQUENT PERMIT FOR MOVEMENT OF WASHED AND SANITIZED SHELL EGGS TO PREMISES WITHOUT POULTRY (DIRECTLY TO MARKET)

PERMIT NUMBER: XX.1 **DATE OF PERMIT:** _____

*xx is premises number, subsequent permits should be renumbered, 2, 3, 4, and so on.

Shipment is permitted from _____ (premises name & 911 address)

to _____ (premises without poultry).

❖ The cargo interior and exterior of the transport vehicle must be cleaned and disinfected. The driver should remain inside the cab of the vehicle. If the driver gets out of the vehicle, the cab interior must be cleaned and disinfected, and the driver must wear protective clothing, such as disposable boots and gloves, and remove them before getting back in the cab. The tires and wheel wells must be cleaned and disinfected when leaving premises within the Control Area.

❖ Transport vehicle must be sealed by premises or company personnel under authorization of Incident Command (IC).

SEAL #: _____

❖ This permit is only valid if accompanied by a negative real-time reverse transcriptase polymerase chain reaction (RRT-PCR) test for highly pathogenic avian influenza (HPAI) conducted on a pooled sample of oropharyngeal swabs from 5 dead birds or 11 dead birds out of every 50 dead birds from each house on the premises of origin. (The test must be conducted by a National Animal Health Laboratory Network laboratory.)

❖ Only eggs stored for 2 days from the date of production are eligible to move.

Date of current negative RRT-PCR test for HPAI: _____ (This permit allows movement of eggs from the premises of origin until the next day's RRT-PCR test results are available.)

This permit is valid ONLY if a copy of the current negative RRT-PCR test results for this flock is attached.

I certify that the production parameters for the flock of origin of the washed and sanitized shell eggs are within normal range today.

Premises Manager Printed Name and Signature Date of shipment (mm/dd/yyyy)

Emergency Contact Information

Cell phone Land line E-mail

The IC may issue the initial permit as soon as negative RRT-PCR test results have been received if the premises is compliant with the permit guidance. Subsequent permits for movement of this product may be issued by the premises manager unless a significant change in production parameters occurs, the flock is found to have a positive RRT-PCR result for HPAI, or some other significant event occurs such as the onset of obvious clinical signs of HPAI or a determination is made that the flock is a Contact Premises. On an ongoing basis, the IC will monitor RRT-PCR results from each flock and will review flock production parameters to confirm the flock continues to be eligible for this permit.

INITIAL PERMIT FOR MOVEMENT OF WASHED AND SANITIZED SHELL EGGS TO PREMISES WITH POULTRY (OTHER THAN DIRECTLY TO MARKET)

PERMIT NUMBER: XX.1 _____ **DATE OF PERMIT:** _____

*xx is premises number, initial permits will be numbered zero and subsequent permits 1, 2, 3, and so on.

Shipment is permitted from _____ (premises name & 911 address)
to _____ (premises with poultry).

- ❖ The cargo interior and exterior of the transport vehicle must be cleaned and disinfected. The driver should remain inside the cab of the vehicle. If the driver gets out of the vehicle, the cab interior must be cleaned and disinfected, and the driver must wear protective clothing, such as disposable boots and gloves, and remove them before getting back in the cab. The tires and wheel wells must be cleaned and disinfected when leaving premises within the Control Area.
- ❖ Transport vehicle must be sealed by premises or company personnel under authorization of Incident Command (IC).
SEAL #: _____
- ❖ Egg-handling material used to transport eggs to breaking or further processing plants must be destroyed at the final destination or cleaned, sanitized (following accepted procedures), and returned to the premises of origin without contacting materials going to other premises.
- ❖ This permit is only valid if accompanied by a negative real-time reverse transcriptase polymerase chain reaction (RRT-PCR) test for highly pathogenic avian influenza (HPAI) conducted on a pooled sample of oropharyngeal swabs from 5 dead birds or 11 dead birds out of every 50 dead birds from each house on the premises of origin. (The test must be conducted by a National Animal Health Laboratory Network laboratory.)

Date of current negative RRT-PCR test for HPAI: _____ (This permit allows movement of eggs from the premises of origin until the next day's RRT-PCR test results are available.)

This permit is valid ONLY if a copy of the current negative RRT-PCR test results for this flock is attached.

I certify that the flock of origin of the washed and sanitized shell eggs has met the permit criteria as stated in the Secure Egg Supply Plan.

Incident Commander Printed Name and Signature Date (mm/dd/yyyy)

I certify that the production parameters for the flock of origin of the washed and sanitized shell eggs are within normal range today.

Premises Manager Printed Name and Signature Date of shipment (mm/dd/yyyy)

The IC may issue the initial permit as soon as negative RRT-PCR test results have been received if the premises is compliant with the permit guidance. Subsequent permits for movement of this product may be issued by the premises manager unless a significant change in production parameters occurs, the flock is found to have a positive RRT-PCR result for HPAI, or some other significant event occurs such as the onset of obvious clinical signs of HPAI or a determination is made that the flock is a Contact Premises. On an ongoing basis, the IC will monitor RRT-PCR results from each flock and will review flock production parameters to confirm the flock continues to be eligible for this permit.

SUBSEQUENT PERMIT FOR MOVEMENT OF WASHED AND SANITIZED SHELL EGGS TO PREMISES WITH POULTRY (OTHER THAN DIRECTLY TO MARKET)

PERMIT NUMBER: XX.1 _____ **DATE OF PERMIT:** _____

*xx is premises number, subsequent permits should be renumbered, 2, 3, 4, and so on.

Shipment is permitted from _____ (premises name & 911 address)

to _____ (premises with poultry).

❖ The cargo interior and exterior of the transport vehicle must be cleaned and disinfected. The driver should remain inside the cab of the vehicle. If the driver gets out of the vehicle, the cab interior must be cleaned and disinfected, and the driver must wear protective clothing, such as disposable boots and gloves, and remove them before getting back in the cab. The tires and wheel wells must be cleaned and disinfected when leaving premises within the Control Area.

❖ Transport vehicle must be sealed by farm or company personnel under authorization of Incident Command (IC).

SEAL #: _____

❖ Egg-handling material used to transport eggs to breaking or further processing plants must be destroyed at the final destination or cleaned, sanitized (following accepted procedures) and returned to the premises of origin without contacting materials going to other premises.

❖ This permit is only valid if accompanied by a negative real-time reverse transcriptase polymerase chain reaction (RRT-PCR) test for highly pathogenic avian influenza (HPAI) conducted on a pooled sample of oropharyngeal swabs from 5 dead birds or 11 dead birds out of every 50 dead birds from each house on the premises of origin. (The test must be conducted by a National Animal Health Laboratory Network laboratory.)

Date of current negative RRT-PCR test for HPAI: _____ (This permit allows movement of eggs from the premises of origin until the next day's RRT-PCR test results are available.)

This permit is valid ONLY if a copy of the current negative RRT-PCR test results for this flock is attached.

I certify that the production parameters for the flock of origin of the washed and sanitized shell eggs are within normal range today.

_____/_____
Premises Manager Printed Name and Signature Date of shipment (mm/dd/yyyy)

Emergency Contact Information

Cell phone Land line E-mail

The IC may issue the initial permit as soon as negative RRT-PCR test results have been received if the premises is compliant with the permit guidance. Subsequent permits for movement of this product may be issued by the premises manager unless a significant change in production parameters occurs, the flock is found to have a positive RRT-PCR result for HPAI, or some other significant event occurs such as the onset of obvious clinical signs of HPAI or a determination is made that the flock is a Contact Premises. On an ongoing basis, the IC will monitor RRT-PCR results from each flock and will review flock production parameters to confirm the flock continues to be eligible for this permit.

INITIAL PERMIT FOR MOVEMENT OF WASHED AND SANITIZED SHELL EGGS TO PREMISES WITH POULTRY (DIRECTLY TO MARKET)

PERMIT NUMBER: XX.1 _____ **DATE OF PERMIT:** _____

*xx is premises number, initial permits will be numbered zero and subsequent permits 1, 2, 3, and so on.

Shipment is permitted from _____ (premises name & 911 address)

to _____ (premises with poultry).

❖ The cargo interior and exterior of the transport vehicle must be cleaned and disinfected. The driver should remain inside the cab of the vehicle. If the driver gets out of the vehicle, the cab interior must be cleaned and disinfected, and the driver must wear protective clothing, such as disposable boots and gloves, and remove them before getting back in the cab. The tires and wheel wells must be cleaned and disinfected when leaving premises within the Control Area.

❖ Transport vehicle must be sealed by premises or company personnel under authorization of Incident Command (IC).

SEAL #: _____

❖ Egg-handling material used to transport eggs to breaking or further processing plants must be destroyed at the final destination or cleaned, sanitized (following accepted procedures) and returned to the premises of origin without contacting materials going to other premises.

❖ This permit is only valid if accompanied by a negative real-time reverse transcriptase polymerase chain reaction (RRT-PCR) test for highly pathogenic avian influenza (HPAI) conducted on a pooled sample of oropharyngeal swabs from 5 dead birds or 11 dead birds out of every 50 dead birds from each house on the premises of origin. (The test must be conducted by a National Animal Health Laboratory Network laboratory.)

❖ Only eggs stored for 2 days from the date of production are eligible to move to market.

Date of current negative RRT-PCR test for HPAI: _____ (This permit allows movement of eggs from the premises of origin until the next day's RRT-PCR test results are available.)

This permit is valid ONLY if a copy of the current negative RRT-PCR test results for this flock is attached.

I certify that the flock of origin of the washed and sanitized shell eggs has met the permit criteria as stated in the Secure Egg Supply Plan.

/

Incident Commander Printed Name and Signature Date (mm/dd/yyyy)

I certify that the production parameters for the flock of origin of the washed and sanitized shell eggs are within normal range today.

/

Premises Manager Printed Name and Signature Date of shipment (mm/dd/yyyy)

The IC may issue the initial permit as soon as negative RRT-PCR test results have been received if the premises is compliant with the permit guidance. Subsequent permits for movement of this product may be issued by the premises manager unless a significant change in production parameters occurs, the flock is found to have a positive RRT-PCR result for HPAI, or some other significant event occurs such as the onset of obvious clinical signs of HPAI or a determination is made that the flock is a Contact Premises. On an ongoing basis, the IC will monitor RRT-PCR results from each flock and will review flock production parameters to confirm the flock continues to be eligible for this permit.

INITIAL PERMIT FOR MOVEMENT OF NEST RUN EGGS TO MOVE TO OFF-FARM LOCATION (WITHOUT POULTRY) FOR WASHING AND SANITIZING, BREAKING, OR PROCESSING

PERMIT NUMBER: XX.0 DATE OF PERMIT: _____

*xx is premises number, initial permits will be numbered zero and subsequent permits 1, 2, 3, and so on.

Shipment is permitted from _____ (premises name & 911 address) to _____ (off-site location for washing and sanitizing, breaking, or processing).

- ❖ The cargo interior and exterior of the transport vehicle must be cleaned and disinfected. The driver should remain inside the cab of the vehicle. If the driver gets out of the vehicle, the cab interior must be cleaned and disinfected, and the driver must wear protective clothing, such as disposable boots and gloves, and remove them before getting back in the cab. The tires and wheel wells must be cleaned and disinfected when leaving premises within the Control Area.
- ❖ The eggs must be moved directly and only to a premises without poultry for washing and sanitizing, breaking, or for processing.
- ❖ Transport vehicle must be sealed by premises or company personnel under authorization of Incident Command (IC).
SEAL #: _____
- ❖ Egg-handling materials must be destroyed at the destination plant or cleaned and sanitized (following accepted procedures).
- ❖ Egg-handling materials can be returned to the premises of origin after at least 24 hours have elapsed since these materials were moved from the farm and without contacting materials going to other premises.
- ❖ New paper or fiber flats must be used for hand gathered eggs.
- ❖ This permit is only valid if accompanied by two negative real-time reverse transcriptase polymerase chain reaction (RRT-PCR) tests for highly pathogenic avian influenza (HPAI) conducted on a pooled sample of oropharyngeal swabs from 5 dead birds or 11 dead birds out of every 50 dead birds from each house on the premises. (The test must be conducted by a National Animal Health Laboratory Network laboratory.)
- ❖ If all the above are true, a permit can be issued to move nest run eggs to processing after two negative RRT-PCRs and a 2-day hold, **where at least 1 RRT-PCR result is from a pooled sample taken on the second day of holding or later.**

Date of current negative RRT-PCR test for HPAI: _____ (This permit allows movement of eggs from the premises of origin until the next day's RRT-PCR test results are available).

This permit is valid ONLY if a copy of the two current negative RRT-PCR test results for this flock are attached.

I certify that the flock of origin of the nest run eggs has met the permit criteria as stated in the Secure Egg Supply Plan.

/

Incident Commander Printed Name and Signature Date (mm/dd/yyyy)

I certify that the production parameters for the flock of origin of the nest run eggs are within normal range on the date of shipment.

/

Premises Manager Printed Name and Signature Date of shipment (mm/dd/yyyy)

The IC may issue the initial permit as soon as negative RRT-PCR test results have been received if the premises is compliant with the permit guidance. Subsequent permits for movement of this product may be issued by the premises manager unless a significant change in production parameters occurs, the flock is found to have a positive RRT-PCR result for HPAI, or some other significant event occurs such as the onset of obvious clinical signs of HPAI or a determination is made that the flock is a Contact Premises. On an ongoing basis, the IC will monitor RRT-PCR results from each flock and will review flock production parameters to confirm the flock continues to be eligible for this permit.

SUBSEQUENT PERMIT FOR LAYER HATCHING EGGS TO MOVE TO HATCHERY OR PROCESSING PLANT

PERMIT NUMBER: XX.1 **DATE OF PERMIT:** _____

*xx is premises number, initial permits will be numbered zero and subsequent permits 2, 3, 4, and so on.

Shipment is permitted from _____ (premises name & 911 address)
to _____ (hatchery or processing).

- ❖ The cargo interior and exterior of the transport vehicle must be cleaned and disinfected. If the driver gets out of the vehicle, the cab interior must be cleaned and disinfected, and the driver must wear protective clothing, such as disposable boots and gloves, and remove them before getting back in the cab. The tires and wheel wells must be cleaned and disinfected when leaving premises within the Control Area.
 - ❖ Must be moved directly and only to a hatchery or a processing facility without poultry for breaking and further processing.
 - ❖ Transport vehicle shall be sealed by premises or company personnel under the authorization of Incident Command (IC).
- SEAL #:** _____
- ❖ The layer hatching eggs must be packed in either new disposable materials or plastic materials that were previously cleaned and disinfected at the hatchery.
 - ❖ Egg-handling materials can be returned to the premises of origin after at least 24 hours have elapsed since these materials were moved from the farm and without contacting materials going to other premises.
 - ❖ New paper or fiber flats must be used for hand gathered eggs.
 - ❖ The layer hatching eggs must be sanitized with an Environmental Protection Agency (EPA) registered disinfectant for avian influenza virus according to the manufacturer label directions for application on layer hatching eggs or by formaldehyde fumigation immediately after collection.
 - ❖ Hatchery loading docks, connecting passages, and receiving storage areas are cleaned and disinfected with an EPA registered disinfectant after receiving layer hatching eggs.
 - ❖ The transfer of hatching eggs into setters and movements of unwashed materials originating from the breeder flock must be conducted after the hatching or chick processing operations on the same day.
 - ❖ Egg contents leaked onto hatchery floors must be cleaned and disinfected according to hatchery standard operating procedure.
 - ❖ Employees must wash their hands with soap or apply a hand sanitizer before entering the hatcher room or chick processing room. Employees must take precautions to prevent the transfer of microbial contamination into the chick processing room via shoes.
 - ❖ The State Animal Health Official of the State of destination must receive a copy of the restricted movement permit within 24 hours of issuance.
 - ❖ If all the above are true, a permit can be issued to move layer hatching eggs to the hatchery or processing plant after two negative real-time reverse transcriptase polymerase chain reaction (RRT-PCRs) and a 2-day hold, **where at least one RRT-PCR result is from a pooled sample (5-bird pool or 11-bird pool per 50 dead birds) taken on the second day of holding or later.** (The test must be conducted by a National Animal Health Laboratory Network laboratory.)

Date of current negative RRT-PCR tests for highly pathogenic avian influenza (HPAI): _____
 (This permit allows movement of eggs from the premises of origin until the next day's RRT-PCR test results are available).

This permit is valid ONLY if a copy of the two current negative RRT-PCR test results for this flock are attached.

I certify that the flock of origin of the layer hatching eggs has met the permit criteria as stated in the Secure Egg Supply Plan.

 Incident Commander Printed Name and Signature Date (mm/dd/yyyy)

I certify that the production parameters for the flock of origin of the layer hatching eggs are within normal range on the date of shipment.

 Premises Manager Printed Name and Signature Date of shipment (mm/dd/yyyy)

The IC may issue the initial permit as soon as negative RRT-PCR test results have been received if the premises is compliant with the permit guidance. Subsequent permits for movement of this product may be issued by the premises manager unless a significant change in production parameters occurs, the flock is found to have a positive RRT-PCR result for HPAI, or some other significant event occurs such as the onset of obvious clinical signs of HPAI or a determination is made that the flock is a Contact Premises. On an ongoing basis, the IC will monitor RRT-PCR results from each flock and will review flock production parameters to confirm the flock continues to be eligible for this permit.

PERMIT FOR MOVEMENT OF DRY EGGSHELLS TO POULTRY FEED MILL

PERMIT NUMBER: XX.0 _____ **DATE OF PERMIT:** _____

*xx is premises number, initial permits will be numbered zero and subsequent permits 1, 2, 3, and so on.

Shipment is permitted from _____ (premises name & 911 address)
to _____ (premises name).

- ❖ If there are poultry on the premises, the Incident Command (IC) may require the exterior of the transport vehicle be cleaned and disinfected depending on onsite factors.
- ❖ The driver should remain inside the cab of the vehicle. If the driver gets out of the vehicle, the cab interior must be cleaned and disinfected, and the driver must wear protective clothing, such as disposable boots and gloves, and remove them before getting back in the cab. The tires and wheel wells must be cleaned and disinfected when leaving premises within the Control Area.
- ❖ Dry eggshells are wet eggshells that have been treated with a drying process that reduces moisture content of incoming wet eggshells to 4 percent, or lower, with an exhaust air temperature greater than 200°F.
- ❖ The dry eggshell product-specific biosecurity steps from the shells and inedible egg product risk assessment should be followed for operations starting from when the Control Area is first established.
- ❖ The outside of the truck should be disinfected at an official station upon exiting the Control Area or per IC requirements and prior to returning to a poultry premises.
- ❖ Biosecurity measures are acceptable to State and/or Federal officials.
- ❖ *For egg breaking premises with poultry onsite:* Negative real-time reverse transcriptase polymerase chain reaction (RRT-PCR) result for highly pathogenic avian influenza (HPAI) within 24 hours prior to movement. Subsequent movements of dry eggshells from within the Control Area will be permitted according to the Dry Eggshells Product Summary.
- ❖ **If all the above are true, a permit can be issued to move dry eggshells to a poultry feed mill.**

I certify that the dry eggshells have met the permit criteria as stated in the Secure Egg Supply Plan.

/ Incident Commander Printed Name and Signature Date (mm/dd/yyyy)

I certify that the flocks of origin of all dry eggshells originating from the Control Area from premises with poultry onsite test negative by RRT-PCR.

/ Premises Manager Printed Name and Signature Date of shipment (mm/dd/yyyy)

The IC may issue the initial permit as soon as negative RRT-PCR test results have been received if the premises is compliant with the permit guidance. Subsequent permits for movement of this product may be issued by the premises manager unless a significant change in production parameters occurs, the flock is found to have a positive RRT-PCR result for HPAI, or some other significant event occurs such as the onset of obvious clinical signs of HPAI or a determination is made that the flock is a Contact Premises. On an ongoing basis, the IC will monitor RRT-PCR results from each flock and will review flock production parameters to confirm the flock continues to be eligible for this permit.

SUBSEQUENT PERMIT FOR MOVEMENT OF INEDIBLE EGG PRODUCT TO PASTEURIZATION

PERMIT NUMBER: XX.1 DATE OF PERMIT: _____

*xx is premises number, initial permits will be numbered zero and subsequent permits 2, 3, 4, and so on.

Shipment is permitted from _____ (premises name & 911 address)

to _____ (premises name).

- ❖ The cargo interior and exterior of the transport vehicle must be cleaned and disinfected. The driver should remain inside the cab of the vehicle. If the driver gets out of the vehicle, the cab interior must be cleaned and disinfected, and the driver must wear protective clothing, such as disposable boots and gloves, and remove them before getting back in the cab. . The tires and wheel wells must be cleaned and disinfected when leaving premises within the Control Area.
- ❖ Inedible egg product can only move to a plant where it is pasteurized according to the USDA Food Safety and Inspection Service standards for inactivating *Salmonella* in whole egg, or whole egg blends, depending on the percent of non-egg ingredients as described in 9 CFR 90.570.
- ❖ If carboys are used in the transport of INEP they must be destroyed at the final destination, or cleaned and sanitized (following accepted procedures) and returned to the premises of origin without contacting materials going to other premises. Personnel at the destination premises will be notified of requirements for handling and cleaning and disinfection of used carboys if INEP is transported in them.
- ❖ The inedible egg product-specific biosecurity steps from the shells and inedible egg product risk assessment should be followed for operations starting from when the Control Area is first established.
- ❖ The outside of the truck should be disinfected at an official station upon exiting the Control Area or per Incident Command (IC) requirements and prior to returning to a poultry premises.
- ❖ Biosecurity measures are acceptable to State and/or Federal officials.
- ❖ *For egg breaking premises with poultry onsite:* Two negative real-time reverse transcriptase polymerase chain reaction (RRT-PCR) tests are required before the first movement of INEP in carboys to pasteurizing at an inline facility. One negative RRT-PCR result for highly pathogenic avian influenza (HPAI) within 24 hours prior to movement. Subsequent movements of inedible egg product to pasteurization from within the Control Area will be permitted according to the Inedible Egg Product summary.
- ❖ **If all the above are true, a permit can be issued to move inedible egg product to pasteurization.**

I certify that the inedible egg product has met the permit criteria as stated in the Secure Egg Supply Plan.

/

Incident Commander Printed Name and Signature Date (mm/dd/yyyy)

I certify that the flocks of origin all inedible egg product originating from the Control Area from premises with poultry onsite test negative by RRT-PCR.

/

Premises Manager Printed Name and Signature Date of shipment (mm/dd/yyyy)

The IC may issue the initial permit as soon as negative RRT-PCR test results have been received if the premises is compliant with the permit guidance. Subsequent permits for movement of this product may be issued by the premises manager unless a significant change in production parameters occurs, the flock is found to have a positive RRT-PCR result for HPAI, or some other significant event occurs such as the onset of obvious clinical signs of HPAI or a determination is made that the flock is a Contact Premises. On an ongoing basis, the IC will monitor RRT-PCR results from each flock and will review flock production parameters to confirm the flock continues to be eligible for this permit.

SUBSEQUENT PERMIT FOR MOVEMENT OF WET EGG SHELLS TO DRYING

PERMIT NUMBER: XX.1 DATE OF PERMIT: _____

*xx is premises number, initial permits will be numbered zero and subsequent permits 2, 3, 4, and so on.

Shipment is permitted from _____ (premises name & 911 address)
to _____ (premises name).

- ❖ The cargo interior and exterior of the transport vehicle must be cleaned and disinfected. The driver should remain inside the cab of the vehicle. If the driver gets out of the vehicle, the cab interior must be cleaned and disinfected, and the driver must wear protective clothing, such as disposable boots and gloves, and remove them before getting back in the cab. The tires and wheel wells must be cleaned and disinfected when leaving premises within the Control Area.
- ❖ Dump trucks are covered with a tarpaulin or equivalent cover.
- ❖ Measures should be taken to exclude flies from the truck cab.
- ❖ The wet eggshells product-specific biosecurity steps from the shells and inedible egg product risk assessment should be followed for operations starting from when the Control Area is first established.
- ❖ The outside of the truck should be disinfected at an official station upon exiting the Control Area or per Incident Command (IC) requirements and prior to returning to a poultry premises.
- ❖ Biosecurity measures are acceptable to State and/or Federal officials.
- ❖ *For egg breaking premises with poultry onsite:* One negative real-time reverse transcriptase polymerase chain reaction (RRT-PCR) result for highly pathogenic avian influenza (HPAI) within 24 hours prior to movement. Subsequent movements of wet eggshells to drying from within the Control Area will be permitted according to the wet eggshells product summary.
- ❖ **If all the above are true, a permit can be issued to move wet eggshells to drying.**

I certify that the wet eggshells have met the permit criteria as stated in the Secure Egg Supply Plan.

Incident Commander Printed Name and Signature Date (mm/dd/yyyy)

I certify that the flocks of origin all wet eggshells originating from the Control Area from premises with poultry onsite test negative by RRT-PCR.

Premises Manager Printed Name and Signature Date of shipment (mm/dd/yyyy)

The IC may issue the initial permit as soon as negative RRT-PCR test results have been received if the premises is compliant with the permit guidance. Subsequent permits for movement of this product may be issued by the premises manager unless a significant change in production parameters occurs, the flock is found to have a positive RRT-PCR result for HPAI, or some other significant event occurs such as the onset of obvious clinical signs of HPAI or a determination is made that the flock is a Contact Premises. On an ongoing basis, the IC will monitor RRT-PCR results from each flock and will review flock production parameters to confirm the flock continues to be eligible for this permit.